Author index

Abouakil, N., Rogalska, E. and Lombardo, D.

Human milk bile-salt stimulated lipase: further investigations on the amino-acids residues involved in the catalytic site (1002) 225

Agnani, G., see Benhamamouch, S. (1002) 45

Angelin, B., see Berglund, L. (1002) 382

Asbóth, G., Gimes, G., Hertelendy, F. and Tóth, M.

The relation between thromboxane and prostaglandin synthesis in human decidua tissue: a comparison of eicosanoid synthesis in minced tissue with that in a cell-free preparation (1002) 101

Aubry, H., see Froissart, P. (1002) 376

Audubert, F., Breton, M., Colard, O. and Bereziat, G.

Differential methylation patterns in molecular species of phosphatidylethanolamine derivatives in rat liver membranes (1002) 62

Banfić, H.

Extracellular Ca²⁺ influences 1,2-diacylglycerol and inositol monophosphate formation in renal cortical slices stimulated with plasma obtained from uninephrectomized rats (1002) 273

Barter, P.J., see Clay, M.A. (1002) 173

Batenburg, J.J., see Den Breejen, J.N. (1002) 277

Batenburg, J.J., see Heesbeen, E.C. (1002) 388

Bechtel, B., see Thurin, J. (1002) 267

Benhamamouch, S., Kuznierz, J.-P., Agnani, G., Marzin, D., Lecerf, J.-M., Fruchart, J.-C. and Clavey, V.

Determination of the LDL receptor binding capacity of human lymphocytes by immunocytofluorimetric assay (1002) 45

Bereziat, G., see Audubert, F. (1002) 62

Berg, O.G., see Jain, M.K. (1002) 127

Berglund, L., Björkhem, I., Angelin, B. and Einarsson, K.

Activation of rat liver cytosolic phosphatidic acid phosphatase by nucleoside diphosphates (1002) 382

Björkhem, I., see Berglund, L. (1002) 382

Björkhem, I., see Hagenfeldt, Y. (1002) 84

Björkhem, I., see Östlund Farrants, A.-K. (1002) 198

Bonnefis, M.T., see Wang, S.R. (1002) 302

Börchers, T., Unterberg, C., Rüdel, H., Robenek, H. and Spener, F. Subcellular distribution of cardiac fatty acid-binding protein in bovine heart muscle and quantitation with an enzyme-linked immunosorbent assay (1002) 54

Breton, M., see Audubert, F. (1002) 62

Brodin, T., see Thurin, J. (1002) 267

Carroll, K.K., see Khosla, P. (1002) 157

Castro, J., see Guzmán, M. (1002) 405

Catala, D., see Wang, S.R. (1002) 302

Cestaro, B., see Marchesini, S. (1002) 14

Cestaro, B., see Viani, P. (1002) 20 Chan, L., see Yang, C.-y. (1002) 231

Chong, I., see Yang, C.-y. (1002) 231

Christensen, E., Grønn, M., Hagve, T.-A., Kase, B.F. and Christophersen, B.O.

Adrenoleukodystrophy. The chain shortening of erucic acid (22:1(n-9)) and adrenic acid (22:4(n-6)) is deficient in neonatal adrenoleukodystrophy and normal in X-linked adrenoleukodistrophy skin fibroblasts (1002) 79

Christophersen, B.O., see Christensen, E. (1002) 79

Chung, J., Yu, S.-H., Whitsett, J.A., Harding, P.G.R. and Possmayer, F.

Effect of surfactant-associated protein-A (SP-A) on the activity of lipid extract surfactant (1002) 348

Clavey, V., see Benhamamouch, S. (1002) 45

Clay, M.A., Hopkins, G.J., Ehnholm, C.P. and Barter, P.J.

The rabbit as an animal model of hepatic lipase deficiency (1002) 173

Cohen, L.H., Van Miert, E. and Griffioen, M.

Regulation of squalene synthetase in human hepatoma cell line Hep G2 by sterols, and not by mevalonate-derived non-sterols (1002) 69

Colard, O., see Audubert, F. (1002) 62

Daffé, M. and Lanéelle, M.-A.

Diglycosyl phenol phthiocerol diester of Mycobacterium leprae (1002) 333

Daffé, M.

Further specific triglycosyl phenol phthiocerol diester from Mycobacterium tuberculosis (1002) 257

Das, T., Sa, G. and Mukherjea, M.

Human fetal liver fatty acid binding proteins. Role on glucose-6phosphate dehydrogenase activity (1002) 164

Dean, R.T., see Thomas, S.M. (1002) 189

Demel, R.A., see Peeters, R.A. (1002) 8

Den Breejen, J.N., Batenburg, J.J. and Van Golde, L.M.G.

The species of acyl-CoA in subcellular fractions of type II cells isolated from adult rat lung and their incorporation into phosphatidic acid (1002) 277

De Rosa, M., see Lanzotti, V. (1002) 398

Downing, D.T., see Wertz, P.W. (1002) 213

Ebata, H., see Jurkowitz-Alexander, M. (1002) 203

Edenharder, R., Pfützner, M. and Hammann, R.

NADP-dependent 3β -, 7α - and 7β -hydroxysteroid dehydrogenase activities from a lecithinase-lipase-negative *Clostridium* species 25.11.c (1002) 37

Egberts, J., Sloot, H. and Mazure, A.

Minimal surface tension, squeeze-out and transition temperatures of binary mixtures of dipalmitoylphosphatidylcholine and unsaturated phospholipids (1002) 109

Ehnholm, C.P., see Clay, M.A. (1002) 173

Einarsson, K., see Berglund, L. (1002) 382

Eriksson, H., see Hagenfeldt, Y. (1002) 84

Francone, O.L., Kalopissis, A.-D. and Griffaton, G.

Contribution of cytoplasmic storage triacylglycerol to VLDL-triacylglycerol in isolated rat hepatocytes (1002) 28

Froissart, P., Unligil, P., Aubry, H. and Proulx, P.

Modulation by phorbol 12-myristate 13-acetate of arachidonic acid release from rat basophilic leukemia cells stimulated with A23187 (1002) 376

Fruchart, J.-C., see Benhamamouch, S. (1002) 45

Gambacorta, A., see Lanzotti, V. (1002) 398

Gatt, S., see Marchesini, S. (1002) 14

Gatt, S., see Viani, P. (1002) 20

Gebicki, J.M., see Thomas, S.M. (1002) 189

Gimes, G., see Asbóth, G. (1002) 101

Gotto, Jr., A.M., see Yang, C.-y. (1002) 231

Grant, W.D., see Lanzotti, V. (1002) 398

Griffaton, G., see Francone, O.L. (1002) 28

Griffioen, M., see Cohen, L.H. (1002) 69

Groener, J.E.M., Van Gent, T. and Van Tol, A.

Effect of lipid transfer protein on plasma lipids, apolipoproteins and metabolism of high-density lipoprotein cholesteryl ester in the rat (1002) 93

Grønn, M., see Christensen, E. (1002) 79

Gu, Z.-W., see Yang, C.-y. (1002) 231

Guzmán, M. and Castro, J.

Ethanol increases the sensitivity of carnitine palmitoyltransferase I to inhibition by malonyl-CoA in short-term hepatocyte incubations (1002) 405

Hagenfeldt, Y., Eriksson, H. and Björkhem, I.

Stimulatory effect of testosterone on renal 25-hydroxyvitamin D-3 1α-hydroxylase in guinea pig (1002) 84

Hagve, T.-A., see Christensen, E. (1002) 79

Hammann, R., see Edenharder, R. (1002) 37

Hardie, D.G., see MacKintosh, R.W. (1002) 114

Harding, P.G.R., see Chung, J. (1002) 348

Heesbeen, E.C., Rijksen, G., Batenburg, J.J., Van Golde, L.M.G. and Staal, G.E.J.

Phosphofructokinase in alveolar type II cells isolated from fetal and adult rat lung (1002) 388

Hertelendy, F., see Asboth, G. (1002) 101

Hoffmann, G.E., see Kozumplik, V. (1002) 395

Hopkins, G.J., see Clay, M.A. (1002) 173

Horrocks, L.A., see Jurkowitz-Alexander, M. (1002) 203

Horváth, I., Vigh, L., Pali, T. and Thompson, Jr., G.A.

Effect of catalytic hydrogenation of Tetrahymena ciliary phospholipid fatty acids on ciliary phospholipase A activity (1002) 409

Houghton, J.D., see Suckling, K.E. (1002) 401

Houtsmuller, U.M.T., see Zevenbergen, J.L. (1002) 312

Huff, M.W., see Khosla, P. (1002) 157

Infante, J., see Wang, S.R. (1002) 302

Infante, R., see Wang, S.R. (1002) 302

Ishihara, H., see Tamiya-Koizumi, K. (1002) 182

Jackson, B., see Suckling, K.E. (1002) 401

Jain, M.K. and Berg, O.G.

The kinetics of interfacial catalysis by phospholipase A_2 and regulation of interfacial activation: hopping versus scooting (1002) 127

James, R.W., Proudfoot, A. and Pometta, D.

Immunoaffinity fractionation of high-density lipoprotein subclasses 2 and 3 using anti-apolipoprotein A-I and A-II immunosorbent gels (1002) 292

Joll, C.A., see Mortimer, B.C. (1002) 359

Jovall, P.-A., see Thurin, J. (1002) 267

Jurkowitz-Alexander, M., Ebata, H., Mills, J.S., Murphy, E.J. and Horrocks, L.A.

Solubilization, purification and characterization of lysoplasmalogen alkenylhydrolase (lysoplasmalogenase) from rat liver microsomes (1002) 203

Kalopissis, A.-D., see Francone, O.L. (1002) 28

Karlsson, H., see Thurin, J. (1002) 267

Karlsson, K.-A., see Thurin, J. (1002) 267

Kase, B.F., see Christensen, E. (1002) 79

Kelleher, J., see Shires, S.E. (1002) 74

Khosla, P., Samman, S., Carroll, K.K. and Huff, M.W.

Turnover of ¹²⁵I-VLDL and ¹³¹I-LDL apolipoprotein B in rabbits fed diets containing casein or soy protein (1002) 157

Knecht, T.P. and Pittman, R.C.

A plasma membrane pool of cholesteryl esters that may mediate

the selective uptake of cholesteryl esters from high-density lipoproteins (1002) 365

Kojima, K., see Tamiya-Koizumi, K. (1002) 182

Kozumplik, V., Staffa, F. and Hoffmann, G.E.

Purification of pancreatic phospholipase A₂ from human duodenal juice (1002) 395

Kunze, D., see Rüstow, B. (1002) 261

Kuznierz, J.-P., see Benhamamouch, S. (1002) 45

Lanéelle, M.-A., see Daffé, M. (1002) 333

Lanzotti, V., Nicolaus, B., Trincone, A., De Rosa, M., Grant, W.D. and Gambacorta, A.

An isopranoid ether analogue of phosphatidic acid from a halophilic archaebacterium (1002) 398

Lecerf, J.-M., see Benhamamouch, S. (1002) 45

Lee, B.-r., see Yang, C.-y. (1002) 231

Lennarz, W.J., see Sagami, H. (1002) 218

Lombardo, D., see Abouakil, N. (1002) 225

MacKintosh, R.W., Hardie, D.G. and Slabas, A.R.

A new assay procedure to study the induction of β -ketoacyl-ACP synthase I and II, and the complete purification of β -ketoacyl-ACP synthase I from developing seeds of oilseed rape (*Brassica napus*) (1002) 114

Marchesini, S., Viani, P., Cestaro, B. and Gatt, S.

Synthesis of pyrene derivatives of cerebroside sulfate and their use for determining arylsulfatase A activity (1002) 14

Marchesini, S., see Viani, P. (1002) 20

Marzin, D., see Benhamamouch, S. (1002) 45

Mazure, A., see Egberts, J. (1002) 109

Meyer, J.G.

Lipolytic enzymes of the human pancreas. II. Purification and properties of cholesterol ester hydrolase (1002) 89

Miller, N.E., see Nanjee, M.N. (1002) 245

Mills, J.S., see Jurkowitz-Alexander, M. (1002) 203

Minnich, A. and Zilversmit, D.B.

Impaired triacylglycerol catabolism in hypertriglyceridemia of the diabetic, cholesterol-fed rabbit: a possible mechanism for protection from atherosclerosis (1002) 324

Mortimer, B.C., Simmonds, W.J., Joll, C.A., Stick, R.V. and Redgrave, T.G.

The effect of added monoacylglycerols on the removal from plasma of chylomicron-like emulsions injected intravenously in rats (1002) 359

Mukherjea, M., see Das, T. (1002) 164

Murphy, E.J., see Jurkowitz-Alexander, M. (1002) 203

Nanjee, M.N. and Miller, N.E.

Human hepatic low-density lipoprotein receptors: associations of receptor activities in vitro with plasma lipid and apolipoprotein concentrations in vivo (1002) 245

Nicolaus, B., see Lanzotti, V. (1002) 398

Nielsen, H.C., see Snyder, J.M. (1002) 1

O'Brien, J.A., see Snyder, J.M. (1002) 1

Ogura, K., see Sagami, H. (1002) 218

Oliw, E.H. and Sprecher, H.

Metabolism of polyunsaturated fatty acids by an (n-6)-lipoxygenase associated with human ejaculates (1002) 283

Olov Sjögren, H., see Thurin, J. (1002) 267

Orishimo, M.W., see Swaney, J.B. (1002) 338

Östlund Farrants, A.-K., Björkhem, I. and Pedersen, J.I.

Identification of 3α , 7α , 12α -trihydroxy- 5β -cholest-24-enoic acid as an intermediate in the peroxisomal conversion of 3α , 7α , 12α -trihydroxy- 5β -cholestanoic acid to cholic acid (1002) 198

Pali, T., see Horváth, I. (1002) 409

Pedersen, J.I., see Östlund Farrants, A.-K. (1002) 198

Peeters, R.A., Veerkamp, J.H. and Demel, R.A.

Are fatty acid-binding proteins involved in fatty acid transfer? (1002) 8

Peterhans, E., see Stocker, R. (1002) 238

Petit, D., see Wang, S.R. (1002) 302

Pfützner, M., see Edenharder, R. (1002) 37

Pittman, R.C., see Knecht, T.P. (1002) 365

Pometta, D., see James, R.W. (1002) 292

Possmayer, F., see Chung, J. (1002) 348

Proudfoot, A., see James, R.W. (1002) 292

Proulx, P., see Froissart, P. (1002) 376

Rabe, H., see Rüstow, B. (1002) 261

Redgrave, T.G., see Mortimer, B.C. (1002) 359

Reichmann, G., see Rüstow, B. (1002) 261

Rijksen, G., see Heesbeen, E.C. (1002) 388

Robenek, H., see Börchers, T. (1002) 54

Rodgers, H.F., see Snyder, J.M. (1002) 1

Rogalska, E., see Abouakil, N. (1002) 225

Rosseneu, M., see Yang, C.-y. (1002) 231

Rüdel, H., see Börchers, T. (1002) 54

Rüstow, B., Schlame, M., Rabe, H., Reichmann, G. and Kunze, D. Species pattern of phosphatidic acid, diacylglycerol, CDP-diacylglycerol and phosphatidylglycerol synthesized de novo in rat liver mitochondria (1002) 261

Sa, G., see Das, T. (1002) 164

Sagami, H., Lennarz, W.J. and Ogura, K.

The biosynthesis of dehydrodolichyl phosphates by rat liver microsomes (1002) 218

Samman, S., see Khosla, P. (1002) 157

Schlame, M., see Rüstow, B. (1002) 261

Shires, S.E., Kelleher, J. and Trejdosiewicz, L.K.

Effects of linoleic acid and mitogenic stimulation on the fatty acid composition of human lymphocytes (1002) 74

Simmonds, W.J., see Mortimer, B.C. (1002) 359

Slabas, A.R., see MacKintosh, R.W. (1002) 114

Sloot, H., see Egberts, J. (1002) 109

Snyder, J.M., Rodgers, H.F., Nielsen, H.C. and O'Brien, J.A.

Uptake of the 35 kDa major surfactant apoprotein (SP-A) by

neonatal rabbit lung tissue (1002) 1

Spener, F., see Börchers, T. (1002) 54

Sprecher, H., see Oliw, E.H. (1002) 283 Staal, G.E.J., see Heesbeen, E.C. (1002) 388

Staffa, F., see Kozumplik, V. (1002) 395

Stick, R.V., see Mortimer, B.C. (1002) 359

Stocker, R. and Peterhans, E.

Synergistic interaction between vitamin E and the bile pigments bilirubin and biliverdin (1002) 238

Strömberg, N., see Thurin, J. (1002) 267

Suckling, C.J., see Suckling, K.E. (1002) 401

Suckling, K.E., Jackson, B., Suffolk, R.A., Houghton, J.D. and Suckling, C.J.

Effects of 6,6-difluorocholestanol and 7,7-difluorocholestanol on hepatic enzymes of cholesterol metabolism (1002) 401

Suffolk, R.A., see Suckling, K.E. (1002) 401

Swaney, J.B. and Orishimo, M.W.

Effects of heparin-induced lipolytic activity on the structure of rat high-density lipoprotein (1002) 338

Tamiya-Koizumi, K., Umekawa, H., Yoshida, S., Ishihara, H. and Kojima, K.

A novel phospholipase A₂ associated with nuclear matrix: stimulation of the activity and modulation of the Ca²⁺ dependency by polyphosphoinositides (1002) 182

Teneberg, S., see Thurin, J. (1002) 267

Thomas, S.M., Gebicki, J.M. and Dean, R.T.

Radical initiated α-tocopherol depletion and lipid peroxidation in mitochondrial membranes (1002) 189

Thompson, Jr., G.A., see Horváth, I. (1002) 409

Thurin, J., Brodin, T., Bechtel, B., Jovall, P.-Å., Karlsson, H., Strömberg, N., Teneberg, S., Olov Sjögren, H. and Karlsson, K.-A. Novel isoglobo-neolacto-series hybrid glycolipid detected by a monoclonal antibody is a rat colon tumor-associated antigen (1002) 267

Tóth, M., see Asbóth, G. (1002) 101

Trejdosiewicz, L.K., see Shires, S.E. (1002) 74

Trincone, A., see Lanzotti, V. (1002) 398

Umekawa, H., see Tamiya-Koizumi, K. (1002) 182

Unligil, P., see Froissart, P. (1002) 376

Unterberg, C., see Börchers, T. (1002) 54

Van Gent, T., see Groener, J.E.M. (1002) 93

Van Golde, L.M.G., see Den Breejen, J.N. (1002) 277

Van Golde, L.M.G., see Heesbeen, E.C. (1002) 388

Van Miert, E., see Cohen, L.H. (1002) 69

Van Tol, A., see Groener, J.E.M. (1002) 93

Veerkamp, J.H., see Peeters, R.A. (1002) 8

Viani, P., Marchesini, S., Cestaro, B. and Gatt, S.

Correlation of the dispersion state of pyrene cerebroside sulfate and its uptake and degradation by cultured cells (1002) 20

Viani, P., see Marchesini, S. (1002) 14

Vigh, L., see Horváth, I. (1002) 409

Wang, S.R., Infante, J., Catala, D., Petit, D., Bonnefis, M.T. and Infante, R.

Lipid and lipoprotein synthesis in isolated and cultured hepatocytes from lean and obese Zucker rats (1002) 302

Wertz, P.W. and Downing, D.T.

Free sphingosines in porcine epidermis (1002) 213

Whitsett, J.A., see Chung, J. (1002) 348

Xiong, W., see Yang, C.-y. (1002) 231

Yang, C.-y., Gu, Z.-W., Chong, I., Xiong, W., Rosseneu, M., Yang, H.-x., Lee, B.-r., Gotto, Jr., A.M. and Chan, L.

The primary structure of human apolipoprotein A-IV (1002) 231

Yang, H.-x., see Yang, C.-y. (1002) 231

Yoshida, S., see Tamiya-Koizumi, K. (1002) 182

Yu, S.-H., see Chung, J. (1002) 348

Zevenbergen, J.L. and Houtsmuller, U.M.T.

Effect of dietary fats on linoleic acid metabolism. A radiolabel study in rats (1002) 312

Zilversmit, D.B., see Minnich, A. (1002) 324

